


Your Expert Partner for Human Machine Interfaces

## Actuator

61-4970.13









https://digikey.eao.com/component/61-4970.13/...

Your product:



# 61-4970.13 Actuator

## FRONT

Front dimension:	24 mm x 24 mm
Front form:	Square
Front bezel colour:	Black
Front bezel material:	Plastic

## MOUNTING

Mounting cut-out:	21.2 mm x 21.2 mm
Mounting type:	Panel mounting

### **ELECTRICAL CHARACTERISTICS**

Power (W):	1
Resistance:	10 kΩ

## **MECHANICAL CHARACTERISTICS**

Terminal:	Flat ribbon cable
Tightening torque:	Max. 0.5 Nm
Weight:	0.023 kg

## **AMBIENT CONDITION**

IP front protection:	IP65
Operating temperature:	– 25 °C + 55 °C

#### CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

**Short Description:** 

Actuator, 21.2 mm x 21.2 mm, 24 mm x 24 mm, Square, Black, Plastic, Flat ribbon cable, IP65


Housing material:

Plastic

Product attributes:

Wiring diagrams:


Cable length 300 mm




A = Terminals (rear side) B = Conductor colour of flat ribbon cable

C = a = blue, b = red, c = yellow

## **Component layouts:**





#### Mounting cut-outs:

**Dimension drawings:** 

