

Your Expert Partner for Human Machine Interfaces

## Actuator

704.021.7

Distribution by DigiKey







https://digikey.eao.com/p/704.021.7

## Your product:



# 704.021.7 Actuator

## FRONT

Front dimension:	Ø 29 mm
Front form:	Round

## MOUNTING

Design:	Raised
Mounting type:	Panel mounting

## **OPERATING-/INDICATION PART**

Lens cap colour:	Colourless
Lens cap material:	Plastic
Lens cap optical effect:	transparent
Marking cap colour:	Colourless
Marking cap optics:	transparent
Marking cap surface:	ribbed

## **ELECTRICAL CHARACTERISTICS**

Т	he switches	comply with	the	"Standards	for	low-voltage	switching	devices"	DIN
E	N 60947-1					-	-		

## **MECHANICAL CHARACTERISTICS**

Terminal:	
-----------	--

Screw terminal

Weight:

Standards:

0.02 kg

## **AMBIENT CONDITION**

IP Protection:	IP65 front side		
Operating temperature:	– 40 °C + 55 °C		
Storage temperature:	– 40 °C + 85 °C		

#### CERTIFICATE


REACH:	REACH compliant
RoHS:	RoHS compliant

## OTHER


Short Description: Housing colour: Housing material:

Wiring diagrams:

Actuator, Ø 29 mm, Round, Screw terminal Grey Plastic



Mounting cut-outs:



## Dimension drawings:

