


# Actuator

704.066.2A

Distribution by DigiKey









# 704.066.2A Actuator

FRONT	
Front dimension:	Ø 37 mm

Front form: Round

### **MOUNTING**

Design: Raised

Mounting type: Panel mounting

## **OPERATING-/INDICATION PART**

Lens colour: Red

Lens material: Plastic

Lens illumination: Non illuminated

Lens shape: Mushroom-head

Lens optics: opaque

# **MECHANICAL CHARACTERISTICS**

Maintained Switching action:

Release type: Key release to unlock

Mechanical lifetime: ≥50 000 cycles of operation

Operating force: 8 N

**Operating Travel:** ca.  $5.8 \text{ mm} \pm 0.2 \text{ mm}$ 

Weight: 0.3 kg

### **AMBIENT CONDITION**

**Operating temperature:**  $-25 \, ^{\circ}\text{C} \, ... + 55 \, ^{\circ}\text{C}$ 

Storage temperature:  $-40 \, ^{\circ}\text{C} \dots + 85 \, ^{\circ}\text{C}$ 

#### **CERTIFICATE**

**REACH:** REACH compliant

RoHS: RoHS compliant

#### **OTHER**

Short Description: Actuator, Ø 37 mm, Mushroom-head, Non illuminated, Red, Plastic, opaque,

Round, Maintained, Key release to unlock

Housing colour: Yellow

Housing material: Plastic

Marking: Arrows


Product attributes: Key release to unlock anti-clockwise

Hints: Shaft yellow

Wiring diagrams:

0-8-~-

Mounting cut-outs:



**Dimension drawings:** 

