

Your Expert Partner for Human Machine Interfaces

Actuator

Distribution by DigiKey





https://digikey.eao.com/p/704.073.4

704.073.4

Your product:



704.073.4 Actuator

FRONT

Front dimension:	Ø 40 mm
Front form:	Round
Front bezel colour:	Nature
Front bezel material:	Aluminium
Front bezel shape:	With protective hood

MOUNTING

Design:	Raised
Mounting type:	Panel mounting

OPERATING-/INDICATION PART

Lens colour:	Yellow
Lens material:	Plastic
Lens illumination:	Non illuminated
Lens shape:	Mushroom-head
Lens optics:	opaque

MECHANICAL CHARACTERISTICS

Switching action:	Maintained
Mechanical lifetime:	≤3 Mil. cycles of operation
Weight:	0.044 kg

CERTIFICATE

REACH:	REACH compliant
RoHS:	RoHS compliant

OTHER

Short Description:

Housing colour:

Housing material:

Hints:

max. number of switching elements:

Wiring diagrams:

Actuator, Ø 40 mm, Mushroom-head, Non illuminated, Yellow, Plastic, opaque, Round, With protective hood, Nature, Aluminium, anodised, Maintained

Grey

Plastic

Max. 3 switching elements can be clipped on

З



40 min.

Ø22.3^{+0.4}

А

65 min.

D


50 min.


С

В

A = Screw terminal B = Push-in terminal (PIT) C = Plug-in terminal 6.3 mm x 0.8 mm D = Double plug-in terminal 6.3 mm x 0.8 mm

Mounting cut-outs:





A = Screw terminal