

# Indicator element

Distribution by DigiKey



84-8001.2340







# 84-8001.2340 Indicator element

	DEL	TAC	INIC	/INI		ATIC	NA.	PART
v		ואר	IIVG-	7111	$\mathbf{D}$	нιк	JIN .	FADI

Illumination colour: Red

#### **ELECTRICAL CHARACTERISTICS**

Operating voltage: 12 V DC  $\pm 10\%$ 

Lumi. Intensity: mcd

## **MECHANICAL CHARATERISTIC**

**Terminal:** Flat ribbon cable

Weight: 0.01 kg

### **AMBIENT CONDITION**

IP Protection: IP40

### **OTHER**

Kind of illlumination: Single-LED

**Short Description:** Indicator element, Red, Single-LED, 12 V DC ±10 %, Flat ribbon cable

Hints: LED and built-in resistor included, Standard version: Cable length 300 mm, Other

options on request: Customisation of cable and connectors, rear side fully sealed (IP 67), Protection degree (rear side): IP 40, upgrade to IP 67 with plug Part No. 84-900 possible. With applications where strong vibrations occure, the plugs may

become loose, Luminosity and wave length variations caused by LED

manufacturing processes may cause slight differences regarding the illumination.

The customer has to decide what resistor shall be used to the LED

**Component layouts:** 

Red (orange)	X2+
Blue (yellow)	X1-

# Wiring diagrams:

